

Technical Specifications

Access Possibilities	NFC, Key Code
Power Supply	via Nano IO Air
Power Consumption	typ. 20mW, max. 560mW (while reading NFC)
Safety Rating	IP20
Ambient Temperature	0...35°C / 32...95°F
Humidity	95% r.H. (non condensing)
Maintenance & Cleaning	This device is free of maintenance and may only be cleaned with a dry cloth.

NEED HELP?

For further information and documentation visit:
www.loxone.com/help/NFC_Code_Touch



LOXONE Smart Home

GET IN TOUCH!

office@loxone.com

www.loxone.com/contact

www.loxone.com

NFC CODE TOUCH FOR NANO

Part No.: 100301 (white)

Part No.: 100307 (anthracite)



About the product

Get access to your Smart Home with encrypted or unencrypted NFC tags, via your NFC enabled smartphone or through your own unique key code.

Features

- Authentication via encrypted and unencrypted NFC Tags or NFC enabled smartphones or key code
- Supports permanent, disposable or time-limited key codes
- Universal button
- Alarm-authentication

Important Information

- For security reasons, we strongly suggest you only use encrypted NFC tags for access control from Loxone.

Installation

Attach the mounting frame of the NFC Code Touch to the Nano IO Air. Install the Nano IO Air in an appropriate installation box and fix the mounting frame to it. To finish the installation attach the NFC Code Touch as shown on the mounting frame.

